



AQUATEST a.s.
AQUATEST - Testing Laboratory
Prague Laboratories
Geologická 988/4, Hlubo epý,152 00 Praha 5
Manager of Laboratories - tel.: +420 234 607 180
Receiving of samples: +420 234 607 422
Issuance of results: +420 234 607 321

Analytical laboratory No. 1243 accredited by CIA pursuant to CSN EN ISO/IEC 17025:2005

TEST REPORT No. 6407/20

Page : 1/2

Customer: ENDOWER GmbH
Order No.: o AQ02062020
Project manager:
Project: VITADOL GOLD 10%
Project No.: 806196137000
Location:
Sampling: customer
Dates of performance of the test: 31.08.20 -03.09.20

ENDOWER GmbH
Alexanderplatz 1
10178 Berlin

The results of this test report relate only to the items tested.

The test report shall not be reproduced except in full, without written approval of the laboratory.

The laboratory holds responsibility only for the results in the sample taken by customer.

| Sample ID | Client sample | Depth (m) | Matrix | Date sampled | Date received |
|-----------|---|-----------|---------|--------------|---------------|
| 11962/20 | Vitadol Gold 10% Batch No. 1: 10G102 | | CBD oil | - | 31.08.20 |

TEST REPORT No.: 6407/20

Page : 2/2

| Parameter | | Unit | Vitadol Gold 10% Batch No.1: 10G102 |
|--------------------------|------------|-------|--|
| Depth (m) | | | U. |
| CBD | SOP 7.18.1 | w/w % | 9,92 ±1,984 |
| CBDA | SOP 7.18.1 | w/w % | <0,005 |
| CBD total | SOP 7.18.1 | w/w % | 9,92 ±1,984 |
| delta-9-THC | SOP 7.18.1 | w/w % | <0,005 |
| THCA | SOP 7.18.1 | w/w % | <0,005 |
| delta-9-THC total | SOP 7.18.1 | w/w % | <0,005 |
| CBG | SOP 7.18.1 | w/w % | 0,318 ±0,0636 |
| CBG total | SOP 7.18.1 | w/w % | 0,318 ±0,0636 |
| CBC | SOP 7.18.1 | w/w % | <0,005 |
| CBN | SOP 7.18.1 | w/w % | <0,005 |

Used methods

| Parameter | SOP | Method | A/N |
|-------------------|------------|--------------------|-----|
| CBD | SOP 7.18.1 | UNODC Manual, 2009 | A |
| CBDA | SOP 7.18.1 | UNODC Manual, 2009 | A |
| CBD total | SOP 7.18.1 | UNODC Manual, 2009 | A |
| delta-9-THC | SOP 7.18.1 | UNODC Manual, 2009 | A |
| THCA | SOP 7.18.1 | UNODC Manual, 2009 | A |
| delta-9-THC total | SOP 7.18.1 | UNODC Manual, 2009 | A |
| CBG | SOP 7.18.1 | UNODC Manual, 2009 | A |
| CBG total | SOP 7.18.1 | UNODC Manual, 2009 | A |
| CBC | SOP 7.18.1 | UNODC Manual, 2009 | AF |
| CBN | SOP 7.18.1 | UNODC Manual, 2009 | A |

U. - Uncertainty of measurement is expressed as double the standard uncertainty and characterizes the interval value in which it is possible to expect the real value with a probability of 95%.

This uncertainty does not include sampling uncertainty and is not stated for results below the detection level.

A - accredited method

N - non-accredited method

AF (Flexible scope of accreditation): The laboratory is allowed to make a change of the test method regarding the scope of parameters tested, subjects of tests and method performance in the given fields of accreditation provided that the measurement principle is the same.

Person accepting technical responsibility for the report :

J. Hlová

Approved on behalf of the laboratory :

Director of laboratory division - Ing. Radana Mráková Dvořáková

Done in Prague : 3.9.2020



-----END OF THE RESULT PART OF TEST REPORT-----