



AQUATEST a.s.
AQUATEST - Testing Laboratory
Prague Laboratories
Geologická 988/4, Hlubočepy, 152 00 Praha 5
Manager of Laboratories - tel.: +420 234 607 180
Receiving of samples: +420 234 607 422
Issuance of results: +420 234 607 321

Analytical laboratory No. 1243 accredited by CIA pursuant to CSN EN ISO/IEC 17025:2005

TEST REPORT No. 9422/20

Page : 1/2

Customer: ENDOWER GmbH
Order No.: o AQ02062020
Project manager:
Project: Vitadol 10%
Project No.: 806196137000
Location:
Sampling: customer
Dates of performance of the test: 24.11.20 -26.11.20

ENDOWER GmbH
Alexanderplatz 1

10178 Berlin

The results of this test report relate only to the items tested.
The test report shall not be reproduced except in full, without written approval of the laboratory.
The laboratory holds responsibility only for the results in the sample taken by customer.

| Sample ID | Client sample | Depth (m) | Matrix | Date sampled | Date received |
|-----------|---|-----------|---------|--------------|---------------|
| 17443/20 | Vitadol Mint 10%, BIO/VEGAN Batch No.:10M104 | | CBD oil | - | 24.11.20 |

TEST REPORT No.: 9422/20

Page : 2/2

| Parameter | | Unit | Vitadol Mint 10%, BIO/VEGAN Batch No.:10M104 |
|--------------------------|------------|--------------|--|
| Depth (m) | | | <i>U.</i> |
| CBD | SOP 7.18.1 | w/w % | 11,5 ±2,30 |
| CBDA | SOP 7.18.1 | w/w % | <0,005 |
| CBD total | SOP 7.18.1 | w/w % | 11,5 ±2,30 |
| delta-9-THC | SOP 7.18.1 | w/w % | 0,007 ±0,0014 |
| THCA | SOP 7.18.1 | w/w % | <0,005 |
| delta-9-THC total | SOP 7.18.1 | w/w % | 0,007 ±0,0014 |
| CBG | SOP 7.18.1 | w/w % | 0,319 ±0,0638 |
| CBG total | SOP 7.18.1 | w/w % | 0,319 ±0,0638 |
| CBC | SOP 7.18.1 | w/w % | <0,005 |
| CBN | SOP 7.18.1 | w/w % | <0,005 |

Used methods

| Parameter | SOP | Method | A/N |
|-------------------|------------|--------------------|-----|
| CBD | SOP 7.18.1 | UNODC Manual, 2009 | A |
| CBDA | SOP 7.18.1 | UNODC Manual, 2009 | A |
| CBD total | SOP 7.18.1 | UNODC Manual, 2009 | A |
| delta-9-THC | SOP 7.18.1 | UNODC Manual, 2009 | A |
| THCA | SOP 7.18.1 | UNODC Manual, 2009 | A |
| delta-9-THC total | SOP 7.18.1 | UNODC Manual, 2009 | A |
| CBG | SOP 7.18.1 | UNODC Manual, 2009 | A |
| CBG total | SOP 7.18.1 | UNODC Manual, 2009 | A |
| CBC | SOP 7.18.1 | UNODC Manual, 2009 | A |
| CBN | SOP 7.18.1 | UNODC Manual, 2009 | A |

U. - Uncertainty (%) of measurement is expressed as double the standard uncertainty and characterizes the interval value in which it is possible to expect the real value with a probability of 95%.

This uncertainty does not include sampling uncertainty and is not stated for results below the detection level.

A - accredited method

N - non-accredited method

Person accepting technical responsibility for the report :

J. H. lová

Approved on behalf of the laboratory :

Deputy director of laboratory division - Ing. Ji í Nepožitek, CSc.

Done in Prague : 27.11.2020

-----END OF THE RESULT PART OF TEST REPORT -----